

Emergency Preparedness Checklist and Tips

An emergency can happen at a moment's notice.

Act now and prepare before disaster strikes!

This checklist will help you get started.

You're not prepared if you cannot check these items on your plan:

- My dialysis facility has the current street address and phone number(s) needed to contact me and/or household member(s) or care partner(s).
- I have discussed my emergency plan and my dialysis facility with my household members.

Dialysis facility name:

Dialysis facility address:

Dialysis facility telephone number:

I have a back-up plan to get care if my dialysis facility is closed. Alternative dialysis facility: _ Alternative dialysis facility address: Alternative dialysis facility telephone number:

I have a copy of my current treatment prescription record.

I check the items in my emergency kit every six months to ensure they have not expired and are working properly.

- I review and update my emergency list at least every six months. Use this list to help you build your emergency kit:
 - Prescription medications and Manual can opener

list of medications

- Insurance and/or Medicare card
- Current copy of monthly lab report
- First aid kit
- Bottled water
- Renal diet friendly non-perishable food
- Cash
- Spare glasses

- Warm blanket
- Battery-powered radio
- Flashlight with extra batteries
- Cell phone with charger
- Books, games, puzzles
- Contact list of healthcare members
- Picture identification
- Car tank full of gas/alternative transportation



Patient Assistance Hotlines

ARA: 888.880.6867 DaVita: 800.400.8331 DCI: 866.424.1990 Fresenius: 800.626.1297 US Renal Care: 866.671.8772 ESRD Network:

This material was prepared by the Kidney Community Emergency Response (KCER) contractor, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services. The contents presented do not necessarily reflect CMS policy. CMS Contract #: HHSM-500-2016-00007C Publication Number: FL-KCER-7K2T3C-07252018-01